



Ip65 Waterproof
36W LED Grow Bar Light
SPECIFICATION



Specification:

| | | | |
|----------------------------|-----------------------|-----------------------|--------------------------|
| Model | Mix-uxBar36W | Led Chip Brand | San'an / Osram / Samsung |
| Input Voltage | AC85-265V | Driver Brand | INVENTRONICS/MEANWELL |
| Dimension | 1200*25*15mm | Color | Silver |
| Chip Size | 2835 | LED Q'ty | 126pcs |
| Efficiency | 2.4 umol/J | Lighting Area | 1200*300mm(5ft*1ft) |
| Working Environment | -20°C~55°C, 45%~95%RH | IP Rating | IP65 |
| Frequency | 50/60Hz | Warranty | 5years |
| PPF | 86 umol/s | N.W. | 0.8kg(2.7lbs) |
| Wavelength | Full Spectrum | G.W. | 58Lbs(26.5kgs),50pcs/ |
| Lifespan | 50,000 Hours | Carton Size | 1290*280*270mm |


Remarks: Custom Spectrum Acceptable According To Different Plants

Advantages:

- Small in Size, Easy Carry, Easy Installation;
- Daisy Chain Design. Suitable for Vertical Farm Grow By Racks(Lettuce/Micro-greens Growing/Small Plants Clone)
- Custom Spectrum: All Red /All blue/Red+Blue+white available. Suitable for different grow period;
- Custom Length Available: 30mm-1500mm.

Applications:

- Clones/Propagation
- Micro-greens
- More Leafy Plants Growing in Vertical Farming





Installation:






One Driver with 4 branches cable
Or One driver with 8 branches cable
Each Cable for One Light Daisy Chain

Characters:

- *Waterproof-IP65 Driver
- *Easy connection/maintenance
- *No Voltage Drop-All Strip light Get the same Voltage



Package:



Suggestion:

1. The working environment for the light is -20~40°C.
2. The ideal distance between the lights and plants is 0.2m-0.5m.
3. Don't touch or move when the light working.